

DR-XL / DRA-12

SHOTSHELL LOADING DATA



12 GA, 2 3/4", CHEDDITE PLASTIC SHELLS 1 1/8 - 1 1/2 OZ.

SHOT	POWDER	PRIMER	WAD	CHARGE/PRESSURE			
				1090 fps	1145 fps	1200 fps	1235 fps
1 1/8 oz.	Clays	Ched. 209	DR-XL 1 1/8 or WAA12	16.3 gr / 7,700 PSI	17.3 gr / 8,500 PSI	18.5 gr / 10,000 PSI	20.5 gr / 11,500 PSI
1 1/8 oz.	Internat'l	Ched. 209	DR-XL 1 1/8 or WAA12	19.0 gr / 7,300 PSI	19.5 gr / 7,800 PSI	20.5 gr / 8,400 PSI	21.5 gr / 9,900 PSI

12 GA., 2 3/4", FEDERAL PAPER SHELLS

SHOT	POWDER	PRIMER	WAD	CHARGE/PRESSURE			
				1250 fps	1325 fps	1400 fps	1475 fps
7/8 oz	Clays	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	-	21.2 gr / 7,600 PSI	22.6 gr / 9,300 PSI	24.0 gr / 11,100 PSI
7/8 oz	Internat'l	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	-	23.1 gr / 7,400 PSI	24.6 gr / 8,100 PSI	-
1 oz	Titewad	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	1180 fps	1235 fps	1290 fps	1345 fps
				17.4 gr / 7,200 PSI	18.7 gr / 8,900 PSI	20.0 gr / 9,800 PSI	21.3 gr / 10,900 PSI
1 1/8 oz	Titewad	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	1090 fps	1145 fps	1200 fps	1255 fps
				16.4 gr / 7,500 PSI	17.4 gr / 8,400 PSI	18.8 gr / 10,000 PSI	-
1 1/8 oz	Clays	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	17.0 gr / 7,600 PSI	18.0 gr / 8,800 PSI	19.0 gr / 10,900 PSI	-
1 1/8 oz	Internat'l	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	20.0 gr / 6,400 PSI	20.6 gr / 7,000 PSI	21.6 gr / 7,500 PSI	23.2 gr / 8,600 PSI

12 GA., 2 3/4", FEDERAL GOLD MEDAL PLASTIC SHELLS - 1 1/8 OZ.

SHOT	POWDER	PRIMER	WAD	CHARGE/PRESSURE			
				1090 fps	1145 fps	1200 fps	1255 fps
1 1/8 oz	Titewad	Fed. 209A	DR-XL 1 1/8 OR WAA12	15.4 gr / 8,3200 PSI	16.8 gr / 9,800 PSI	18.0 gr / 11,100 PSI	-
1 1/8 oz	Clays	Fed. 209A	DR-XL 1 1/8 OR WAA12	16.5 gr / 7,700 PSI	17.0 gr / 8,100 PSI	18.5 gr / 10,300 PSI	-
1 1/8 oz	Internat'l	Fed. 209A	DR-XL 1 1/8 OR WAA12	-	18.4 gr / 8,200 PSI	19.6 gr / 9,500 PSI	20.7 gr / 10,700 PSI
1 1/8 oz	Universal	Win. 209	DR-XL 1 1/8 OR WAA12	1200 fps	1255 fps	1310 fps	
				23.2 gr / 8,800 PSI	24.5 gr / 9,700 PSI	25.0 gr / 10,400 PSI	
1 1/8 oz.	Longshot	CCI 209M	DR-XL 1 1/8 OR WAA12	1420 fps	1475 fps	1530 fps	1585 fps
				31.4 gr / 8,800 PSI	33.2 gr / 9,500 PSI	35.0 gr / 10,300 PSI	36.8 gr / 11,000 PSI
1 1/8 oz.	Longshot	Fed. 209A	DR-XL 1 1/8 OR WAA12	31.7 gr / 8,900 PSI	33.1 gr / 9,700 PSI	34.6 gr / 10,700 PSI	36.0 gr / 11,500 PSI
1 1/8 oz.	Longshot	Rem. 209P	DR-XL 1 1/8 OR WAA12	32.4 gr / 8,200 PSI	33.9 gr / 9,100 PSI	35.4 gr / 10,000 PSI	36.9 gr / 10,900 PSI
1 1/8 oz.	Longshot	Win. 209	DR-XL 1 1/8 OR WAA12	34.0 gr / 7,600 PSI	35.2 gr / 8,500 PSI	36.4 gr / 9,400 PSI	37.8 gr / 10,400 PSI

DR-XL / DRA-12

SHOTSHELL LOADING DATA



12 GA., 2 3/4", REMINGTON PREMIER, NITRO 27 AND STS PLASTIC SHELLS, 1 1/8 OZ.

SHOT	POWDER	PRIMER	WAD	CHARGE/PRESSURE			
				1090 fps	1145 fps	1200 fps	1255 fps
1 1/8 oz	Titewad	Ched. 209	DR XL 1 1/8, DRA-12 or WAA12	15.0 gr/ 10,400 PSI	15.8 gr/ 11,400 PSI	-	-
1 1/8 oz.	Titewad	CCI 209SC	DR XL 1 1/8, DRA-12 or WAA12	15.0 gr/ 10,100 PSI	15.8 gr/ 11,100 PSI	-	-
1 1/8 oz.	Titewad	Fed. 209A	DR XL 1 1/8, DRA-12 or WAA12	15.2 gr/ 9,800 PSI	16.0 gr/ 10,500 PSI	-	-
1 1/8 oz.	Titewad	Fio. 616	DR XL 1 1/8, DRA-12 or WAA12	15.0 gr/ 9,400 PSI	16.0 gr/ 10,600 PSI	-	-
1 1/8 oz.	Titewad	Rem. 209P	DR XL 1 1/8, DRA-12 or WAA12	15.1 gr/ 9,700 PSI	16.1 gr/ 10,900 PSI	-	-
1 1/8 oz.	Titewad	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	15.4 gr / 8,700 PSI	16.7 gr / 10,000 PSI	17.9 gr / 11,400 PSI	-
1 1/8 oz	Clays	Ched. 209	DR XL 1 1/8, DRA-12 or WAA12	15.5 gr/ 9,500 PSI	16.4 gr/ 10,600 PSI	-	-
1 1/8 oz.	Clays	CCI 209	DR XL 1 1/8, DRA-12 or WAA12	15.9 gr/ 8,500 PSI	17.2 gr/ 10,300 PSI	18.2 gr/ 11,500 PSI	-
1 1/8 oz.	Clays	CCI 209SC	DR XL 1 1/8, DRA-12 or WAA12	16.0 gr/ 9,300 PSI	17.0 gr/ 10,900 PSI	-	-
1 1/8 oz.	Clays	Fed. 209A	DR XL 1 1/8, DRA-12 or WAA12	15.5 gr/ 9,900 PSI	16.6 gr/ 11,200 PSI	-	-
1 1/8 oz.	Clays	Fio. 616	DR XL 1 1/8, DRA-12 or WAA12	15.8 gr/ 9,100 PSI	16.8 gr/ 10,600 PSI	-	-
1 1/8 oz.	Clays	Rem. 209P	DR XL 1 1/8, DRA-12 or WAA12	16.6 gr / 7,700 LUP	17.7 gr / 9,000 LUP	18.8 gr / 10,300 LUP	-
1 1/8 oz.	Clays	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	16.2 gr/ 8,100 PSI	17.3 gr/ 9,700 PSI	18.4 gr/ 11,300 PSI	-
1 1/8 oz	Internat'l	Ched. 209	DR XL 1 1/8, DRA-12 or WAA12	17.1 gr/ 8,000 PSI	18.3 gr/ 9,200 PSI	19.5 gr/ 10,400 PSI	-
1 1/8 oz.	Internat'l	CCI 209	DR XL 1 1/8, DRA-12 or WAA12	17.1 gr / 7,800 PSI	18.3 gr / 8,900 PSI	19.6 gr / 10,200 PSI	20.9 gr / 11,400 PSI
1 1/8 oz.	Internat'l	CCI 209SC	DR XL 1 1/8, DRA-12 or WAA12	17.1 gr / 7,900 PSI	18.3 gr / 9,200 PSI	19.5 gr / 10,400 PSI	20.8 gr / 11,500 PSI
1 1/8 oz.	Internat'l	Fed. 209A	DR XL 1 1/8, DRA-12 or WAA12	16.7 gr / 8,300 PSI	17.9 gr / 9,600 PSI	19.1 gr / 10,800 PSI	-
1 1/8 oz.	Internat'l	Fio. 616	DR XL 1 1/8, DRA-12 or WAA12	17.2 gr / 8,300 PSI	18.3 gr / 9,500 PSI	19.4 gr / 10,700 PSI	-
1 1/8 oz.	Internat'l	Rem. 209P	DR XL 1 1/8, DRA-12 or WAA12	18.3 gr / 7,000 LUP	18.8 gr / 7,600 LUP	19.7 gr / 8,700 LUP	20.9 gr / 10,400 LUP
1 1/8 oz.	Internat'l	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	17.0 gr/ 7,100 PSI	18.4 gr/ 8,600 PSI	19.8 gr/ 10,100 PSI	21.1 gr/ 11,500 PSI
				1090 fps	1145 fps	1200 fps	1245 fps
1 1/8 oz.	Titegroup	Rem. 209P	DR XL 1 1/8, DRA-12 or WAA12	14.9 gr / 8,000 PSI	15.8 gr / 9,200 PSI	16.7 gr / 10,300 PSI	-
1 1/8 oz.	Titegroup	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	14.7 gr / 8,300 PSI	15.8 gr / 9,400 PSI	16.8 gr / 10,500 PSI	-
				1200 fps	1255 fps	1310 fps	
1 1/8 oz.	Universal	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	21.5 gr / 9,800 PSI	23.0 gr / 10,700 PSI	-	
				1420 fps	1475 fps	1530 fps	1585 fps
1 1/8 oz.	Longshot	CCI 209M	DR XL 1 1/8, DRA-12 or WAA12	30.9 gr/ 9,800 PSI	32.3 gr/ 10,600 PSI	33.6 gr/ 11,400 PSI	-
1 1/8 oz.	Longshot	Fed. 209A	DR XL 1 1/8, DRA-12 or WAA12	29.4 gr/ 10,900 PSI	-	-	-
1 1/8 oz.	Longshot	Rem. 209P	DR XL 1 1/8, DRA-12 or WAA12	30.6 gr/ 9,300 PSI	31.7 gr/ 10,400 PSI	32.7 gr/ 11,500 PSI	-
1 1/8 oz.	Longshot	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	31.7 gr/ 9,100 PSI	32.8 gr/ 10,100 PSI	33.5 gr/ 11,200 PSI	-

DR-XL / DRA-12

SHOTSHELL LOADING DATA



12 GA., 2 3/4", WINCHESTER COMPRESSION-FORMED AA TYPE SHELLS, 1 1/8 - 1 1/2 OZ.

SHOT	POWDER	PRIMER	WAD	CHARGE/PRESSURE			
				1090 fps	1145 fps	1200 fps	1255 fps
1 1/8 oz	Titewad	Ched. 209	DR XL 1 1/8, DRA-12 or WAA12	15.3 gr/ 9,900 PSI	16.4 gr/ 10,900 PSI	-	-
1 1/8 oz	Titewad	CCI 209	DR XL 1 1/8, DRA-12 or WAA12	15.3 gr/ 10,300 PSI	16.0 gr/ 10,900 PSI	-	-
1 1/8 oz	Titewad	Fed. 209A	DR XL 1 1/8, DRA-12 or WAA12	15.4 gr/ 9,700 PSI	16.4 gr/ 10,800 PSI	-	-
1 1/8 oz	Titewad	Rem. 209P	DR XL 1 1/8, DRA-12 or WAA12	15.5 gr/ 10,100 PSI	16.4 gr/ 11,200 PSI	-	-
1 1/8 oz	Titewad	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	15.2 gr/ 9,500 PSI	16.5 gr/ 10,400 PSI	17.8 gr/ 11,100 PSI	-
1 1/8 oz	Clays	Ched. 209	DR XL 1 1/8, DRA-12 or WAA12	15.8 gr/ 9,400 PSI	17.2 gr/ 10,700 PSI	-	-
1 1/8 oz	Clays	CCI 209	DR XL 1 1/8, DRA-12 or WAA12	16.0 gr/ 8,900 PSI	17.0 gr/ 9,800 PSI	18.1 gr/ 11,300 PSI	-
1 1/8 oz	Clays	CCI 209SC	DR XL 1 1/8, DRA-12 or WAA12	15.5 gr/ 9,300 PSI	16.0 gr/ 10,600 PSI	-	-
1 1/8 oz	Clays	Fed. 209A	DR XL 1 1/8, DRA-12 or WAA12	15.0 gr / 9,700 PSI	16.0 gr / 10,800 PSI	-	-
1 1/8 oz	Clays	Fio. 616	DR XL 1 1/8, DRA-12 or WAA12	15.5 gr/ 9,400 PSI	16.0 gr/ 10,900 PSI	-	-
1 1/8 oz	Clays	Rem. 209P	DR XL 1 1/8, DRA-12 or WAA12	15.9 gr/ 8,900 PSI	17.0 gr/ 9,400 PSI	-	-
1 1/8 oz	Clays	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	16.1 gr / 7,700 LUP	17.3 gr / 8,800 LUP	18.2 gr / 9,800 LUP	-
1 1/8 oz	Internat'l	Ched. 209	DR XL 1 1/8, DRA-12 or WAA12	16.9 gr/ 8,100 PSI	18.1 gr/ 9,600 PSI	19.3 gr/ 11,100 PSI	-
1 1/8 oz	Internat'l	CCI 209	DR XL 1 1/8, DRA-12 or WAA12	17.0 gr/ 9,700 PSI	17.4 gr/ 10,500 PSI	18.2 gr/ 11,400 PSI	-
1 1/8 oz	Internat'l	CCI 209SC	DR XL 1 1/8, DRA-12 or WAA12	16.2 gr/ 9,100 PSI	17.2 gr/ 9,800 PSI	18.5 gr/ 10,900 PSI	-
1 1/8 oz	Internat'l	Fed. 209A	DR XL 1 1/8, DRA-12 or WAA12	16.0 gr/ 9,500 PSI	16.8 gr/ 10,300 PSI	17.5 gr/ 10,900 PSI	-
1 1/8 oz	Internat'l	Fio. 616	DR XL 1 1/8, DRA-12 or WAA12	16.3 gr/ 9,600 PSI	17.0 gr/ 11,000 PSI	-	-
1 1/8 oz	Internat'l	Rem. 209P	DR XL 1 1/8, DRA-12 or WAA12	16.5 gr/ 8,900 PSI	17.8 gr/ 9,500 PSI	18.7 gr/ 11,100 PSI	-
1 1/8 oz	Internat'l	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	17.6 gr/ 7,400 LUP	18.1 gr/ 8,300 LUP	19.2 gr/ 9,600 LUP	21.3 gr/ 10,800 LUP
1 1/8 oz	Titegroup	Rem. 209	DR XL 1 1/8, DRA-12 or WAA12	14.6 gr/ 8,400 PSI	15.6 gr/ 9,600 PSI	16.5 gr/ 10,600 PSI	-
1 1/8 oz	Titegroup	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	14.9 gr/ 7,900 PSI	15.9 gr/ 9,000 PSI	17.4 gr/ 10,400 PSI	18.4 gr/ 11,400 PSI
				1200 fps	1255 fps	1310 fps	
1 1/8 oz	Universal	Fed. 209A	DR XL 1 1/8, DRA-12 or WAA12	21.5 gr / 9,600 PSI	22.8 gr / 10,700 PSI	23.6 gr / 11,300 PSI	
1 1/8 oz	Universal	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	22.0 gr / 10,000 PSI	22.7 gr / 10,600 PSI	-	
				1420 fps	1475 fps	1530 fps	1585 fps
1 1/8 oz	Longshot	CCI 209M	DR XL 1 1/8, DRA-12 or WAA12	30.9 gr/ 10,000 PSI	32.5 gr/ 10,900 PSI	-	-
1 1/8 oz	Longshot	Fed. 209A	DR XL 1 1/8, DRA-12 or WAA12	31.0 gr/ 9,800 PSI	32.3 gr/ 10,800 PSI	-	-
1 1/8 oz	Longshot	Rem. 209P	DR XL 1 1/8, DRA-12 or WAA12	30.8 gr/ 9,500 PSI	32.1 gr/ 10,500 PSI	-	-
1 1/8 oz	Longshot	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	32.1 gr/ 9,200 PSI	33.2 gr/ 10,100 PSI	34.4 gr/ 11,100 PSI	-

12 GA., 2 3/4", WINCHESTER POLYFORMED PLASTIC GAME SHELLS (PLASTIC BASEWAD)

SHOT	POWDER	PRIMER	WAD	CHARGE/PRESSURE		
				1200 fps	1255 fps	1310 fps
1 1/8 oz	Universal	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	24.0 gr / 7,900 PSI	25.3 gr / 9,000 PSI	26.0 gr / 10,100 PSI

DR-XL / DRA-12

SHOTSHELL LOADING DATA



12 GA., 2 3/4", WINCHESTER COMPRESSION-FORMED AA TYPE SHELLS, 1 1/8 OZ.

SHOT	POWDER	PRIMER	WAD	CHARGE/PRESSURE			
				1090 fps	1145 fps	1200 fps	1255 fps
1 1/8 oz	Titewad	Ched. 209	DR XL 1 1/8, DRA-12 or WAA12	15.3 gr/ 9,900 PSI	16.4 gr/ 10,900 PSI	-	-
1 1/8 oz	Titewad	CCI 209	DR XL 1 1/8, DRA-12 or WAA12	15.3 gr/ 10,300 PSI	16.0 gr/ 10,900 PSI	-	-
1 1/8 oz	Titewad	Fed. 209A	DR XL 1 1/8, DRA-12 or WAA12	15.4 gr/ 9,700 PSI	16.4 gr/ 10,800 PSI	-	-
1 1/8 oz	Titewad	Rem. 209P	DR XL 1 1/8, DRA-12 or WAA12	15.5 gr/ 10,100 PSI	16.4 gr/ 11,200 PSI	-	-
1 1/8 oz	Titewad	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	15.2 gr/ 9,500 PSI	16.5 gr/ 10,400 PSI	17.8 gr/ 11,100 PSI	-
1 1/8 oz	Clays	Ched. 209	DR XL 1 1/8, DRA-12 or WAA12	15.8 gr/ 9,400 PSI	17.2 gr/ 10,700 PSI	-	-
1 1/8 oz	Clays	CCI 209	DR XL 1 1/8, DRA-12 or WAA12	16.0 gr/ 8,900 PSI	17.0 gr/ 9,800 PSI	18.1 gr/ 11,300 PSI	-
1 1/8 oz	Clays	CCI 209SC	DR XL 1 1/8, DRA-12 or WAA12	15.5 gr/ 9,300 PSI	16.0 gr/ 10,600 PSI	-	-
1 1/8 oz	Clays	Fed. 209A	DR XL 1 1/8, DRA-12 or WAA12	15.0 gr / 9,700 PSI	16.0 gr / 10,800 PSI	-	-
1 1/8 oz	Clays	Fio. 616	DR XL 1 1/8, DRA-12 or WAA12	15.5 gr/ 9,400 PSI	16.0 gr/ 10,900 PSI	-	-
1 1/8 oz	Clays	Rem. 209P	DR XL 1 1/8, DRA-12 or WAA12	15.9 gr/ 8,900 PSI	17.0 gr/ 9,400 PSI	-	-
1 1/8 oz	Clays	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	16.1 gr / 7,700 LUP	17.3 gr / 8,800 LUP	18.2 gr / 9,800 LUP	-
1 1/8 oz	Internat'l	Ched. 209	DR XL 1 1/8, DRA-12 or WAA12	16.9 gr/ 8,100 PSI	18.1 gr/ 9,600 PSI	19.3 gr/ 11,100 PSI	-
1 1/8 oz	Internat'l	CCI 209	DR XL 1 1/8, DRA-12 or WAA12	17.0 gr/ 9,700 PSI	17.4 gr/ 10,500 PSI	18.2 gr/ 11,400 PSI	-
1 1/8 oz	Internat'l	CCI 209SC	DR XL 1 1/8, DRA-12 or WAA12	16.2 gr/ 9,100 PSI	17.2 gr/ 9,800 PSI	18.5 gr/ 10,900 PSI	-
1 1/8 oz	Internat'l	Fed. 209A	DR XL 1 1/8, DRA-12 or WAA12	16.0 gr/ 9,500 PSI	16.8 gr/ 10,300 PSI	17.5 gr/ 10,900 PSI	-
1 1/8 oz	Internat'l	Fio. 616	DR XL 1 1/8, DRA-12 or WAA12	16.3 gr/ 9,600 PSI	17.0 gr/ 11,000 PSI	-	-
1 1/8 oz	Internat'l	Rem. 209P	DR XL 1 1/8, DRA-12 or WAA12	16.5 gr/ 8,900 PSI	17.8 gr/ 9,500 PSI	18.7 gr/ 11,100 PSI	-
1 1/8 oz	Internat'l	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	17.6 gr/ 7,400 LUP	18.1 gr/ 8,300 LUP	19.2 gr/ 9,600 LUP	21.3 gr/ 10,800 LUP
1 1/8 oz	Titegroup	Rem. 209	DR XL 1 1/8, DRA-12 or WAA12	14.6 gr/ 8,400 PSI	15.6 gr/ 9,600 PSI	16.5 gr/ 10,600 PSI	-
1 1/8 oz	Titegroup	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	14.9 gr/ 7,900 PSI	15.9 gr/ 9,000 PSI	17.4 gr/ 10,400 PSI	18.4 gr/ 11,400 PSI
				1200 fps	1255 fps	1310 fps	
1 1/8 oz	Universal	Fed. 209A	DR XL 1 1/8, DRA-12 or WAA12	21.5 gr / 9,600 PSI	22.8 gr / 10,700 PSI	23.6 gr / 11,300 PSI	-
1 1/8 oz	Universal	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	22.0 gr / 10,000 PSI	22.7 gr / 10,600 PSI	-	-
				1420 fps	1475 fps	1530 fps	1585 fps
1 1/8 oz	Longshot	CCI 209M	DR XL 1 1/8, DRA-12 or WAA12	30.9 gr/ 10,000 PSI	32.5 gr/ 10,900 PSI	-	-
1 1/8 oz	Longshot	Fed. 209A	DR XL 1 1/8, DRA-12 or WAA12	31.0 gr/ 9,800 PSI	32.3 gr/ 10,800 PSI	-	-
1 1/8 oz	Longshot	Rem. 209P	DR XL 1 1/8, DRA-12 or WAA12	30.8 gr/ 9,500 PSI	32.1 gr/ 10,500 PSI	-	-
1 1/8 oz	Longshot	Win. 209	DR XL 1 1/8, DRA-12 or WAA12	32.1 gr/ 9,200 PSI	33.2 gr/ 10,100 PSI	34.4 gr/ 11,100 PSI	-